



## One Touch Plastic Push-in Fittings



**Temperature Range:**  
Brass: 0°C to +60°C  
Acetal: 0°C to +60°C

**Working Pressure:**  
10 bar (150 psi)

**Media:** Air & vacuum only.  
**Negative Pressure:** -750mm Hg (10Torr)

### Male Studs



Male Thread, Metric & BSPT

	1060	OD mm	Thread	1-99 £	100+ £
	2019-4890	4	M5	2.20	2.10
	2019-4932	4	1/8"	2.20	2.10
	2046-7163	4	M6	2.20	2.10
	2019-4940	4	1/4"	2.20	2.10
	2046-7164	4	3/8"	3.90	3.70
Hydraulics	2019-4957	6	M5	2.20	2.10
	2019-4965	6	1/8"	2.20	2.10
Hydraulic QRC	2046-7165	6	M6	2.20	2.10
	2019-4973	6	1/4"	2.20	2.10
	2019-4981	6	3/8"	3.20	3.05
Pneumatic QRC	2046-7166	6	1/2"	4.20	4.00
	2019-4999	8	1/8"	2.20	2.10
Ind. Air Prep, Monitor & Test	2019-5004	8	1/4"	2.20	2.10
	2019-5012	8	3/8"	3.20	3.05
	2019-5020	8	1/2"	4.20	4.00
KELM™ Pneumatics	2019-5038	10	1/8"	3.30	3.15
	2019-5046	10	1/4"	3.30	3.15
	2019-5053	10	3/8"	4.40	4.20
Pneumatic & Vacuum Equipment	2019-5061	10	1/2"	4.60	4.30
	2019-5076	12	1/4"	4.60	4.30
	2019-5087	12	3/8"	4.40	4.20
Valves	2019-5095	12	1/2"	4.60	4.30



Male Thread, BSPP

	1060	OD mm	Thread	1-99 £	100+ £
	2028-7736	4	1/8"	2.35	2.25
	2028-7793	4	1/4"	2.50	2.35
	2028-7819	6	1/8"	2.40	2.25
	2028-7843	6	1/4"	2.45	2.35
	2028-7868	6	3/8"	3.30	3.15
	2028-7876	8	1/8"	2.90	2.70
	2028-7884	8	1/4"	2.90	2.70
	2028-7900	8	3/8"	3.40	3.25
	2028-7918	8	1/2"	4.85	4.60
	2028-7926	10	1/8"	3.60	3.40
	2028-7934	10	1/4"	3.80	3.60
	2028-7942	10	3/8"	3.60	3.40
	2028-7959	10	1/2"	5.05	4.80
	2028-7967	12	1/4"	5.05	4.80
	2028-7975	12	3/8"	4.40	4.20
	2028-7983	12	1/2"	5.05	4.80

### Female Studs



Female Thread, BSPP

	1060	OD mm	Thread	1-99 £	100+ £
	2019-6325	4	1/8"	2.60	2.45
	2046-7167	4	1/4"	2.60	2.45
	2019-6366	6	1/8"	2.60	2.45
	2019-6416	6	1/4"	3.20	3.05
	2019-6432	6	3/8"	3.75	3.55
	2019-6440	8	1/8"	3.20	3.05
	2019-6465	8	1/4"	3.20	3.05
	2019-6721	8	3/8"	3.75	3.55
	2046-7168	8	1/2"	6.10	5.75
	2019-6739	10	1/8"	4.00	3.80
	2019-6754	10	1/4"	4.00	3.80
	2019-6911	10	3/8"	4.00	3.80
	2046-7169	10	1/2"	6.20	5.85
	2019-6929	12	1/4"	6.20	5.85
	2019-7018	12	3/8"	6.20	5.85
	2019-7059	12	1/2"	6.20	5.85

### Female Bulkhead Connectors



Female Thread, Metric & BSPP

	1060	OD mm	Thread	Bulk Head	1-99 £	100+ £
	2046-7194	4	M5	M12 x 1	4.05	3.85
	2019-7083	4	1/8"	M12 x 1	5.40	5.15
	2046-7196	4	1/4"	M12 x 1	4.90	4.65
	2046-7197	6	M5	M14 x 1	5.85	5.55
	2019-7125	6	1/8"	M14 x 1	7.50	7.15
	2046-7198	6	M6	M14 x 1	7.50	7.15
	2019-7133	6	1/4"	M14 x 1	7.50	7.15
	2046-7199	6	3/8"	M14 x 1	8.00	7.60
	2046-7200	6	1/2"	M14 x 1	8.35	7.95
	2046-7201	8	1/8"	M16 x 1	6.70	6.35
	2019-7166	8	1/4"	M16 x 1	7.50	7.15
	2019-7182	8	3/8"	M16 x 1	8.10	7.65
	2046-7202	8	1/2"	M16 x 1	7.20	6.85
	2046-7203	10	1/8"	M20 x 1	5.55	5.25
	2019-7299	10	1/4"	M20 x 1	8.80	8.35
	2019-7307	10	3/8"	M20 x 1	7.80	7.40
	2046-7204	10	1/2"	M20 x 1	9.25	8.80
	2019-7315	12	1/4"	M22 x 1	8.45	8.00
	2019-7497	12	3/8"	M22 x 1	9.25	8.80
	2046-7205	12	1/2"	M22 x 1	10.05	9.55

### Male Stud Swivel Elbows



Male Thread, Metric & BSPT

	1060	OD mm	Thread	1-99 £	100+ £
	2019-5103	4	M5	3.20	3.05
	2019-5111	4	1/8"	3.20	3.05
	2046-7170	4	M6	3.20	3.05
	2019-5129	4	1/4"	3.20	3.05
	2019-5822	6	M5	3.20	3.05
	2019-5145	6	1/8"	3.20	3.05
	2046-7171	6	M6	3.20	3.05
	2019-5152	6	1/4"	3.20	3.05
	2019-5160	6	3/8"	3.75	3.55
	2046-7172	6	1/2"	6.10	5.75
	2019-5178	8	1/8"	3.50	3.30
	2019-5186	8	1/4"	3.50	3.30
	2019-5194	8	3/8"	3.90	3.70
	2019-5202	8	1/2"	6.10	5.75
	2019-5210	10	1/8"	3.90	3.70
	2019-5228	10	1/4"	3.90	3.70
	2019-5236	10	3/8"	4.15	3.95
	2019-5244	10	1/2"	7.00	6.65
	2019-5251	12	1/4"	7.00	6.65
	2019-5269	12	3/8"	7.00	6.65
	2019-5277	12	1/2"	7.00	6.65



Male Thread, BSPP

	1060	OD mm	Thread	1-99 £	100+ £
	2028-8221	4	1/8"	3.85	3.65
	2028-8239	4	1/4"	3.95	3.75
	2028-8247	6	1/8"	3.85	3.65
	2028-8254	6	1/4"	4.00	3.80
	2028-8262	6	3/8"	4.60	4.30
	2028-8270	8	1/8"	4.40	4.20
	2028-8288	8	1/4"	4.60	4.30
	2028-8296	8	3/8"	4.85	4.60
	2028-8304	8	1/2"	7.00	6.65
	2028-8312	10	1/8"	5.35	5.10
	2028-8320	10	1/4"	5.35	5.10
	2028-8338	10	3/8"	5.85	5.55
	2028-8379	10	1/2"	8.00	7.60
	2028-8403	12	1/4"	7.70	7.30
	2028-8411	12	3/8"	7.70	7.30
	2028-8429	12	1/2"	7.90	7.50